



**Risk Assessment**

Wet Floors

Business Name:		Risk Assessor:		Image:
Minchinhampton Market House	Name	Neil James		
	Job Title	Consultant – Envesca Ltd		
	Date	11 <sup>th</sup> October 2022		
	Signed			

<b>Location of Hazard / Area / Process / Equipment:</b>	Wet Floors
---	------------

Activities:	How Harm Could Occur:	People Who Could be Harmed:	
Wet floors during cleaning or adverse weather.	<ul style="list-style-type: none"> <li>Slips, trips and falls.</li> </ul>	Employees	<input checked="" type="checkbox"/>
		Public / Customers	<input checked="" type="checkbox"/>
		Contractors	<input checked="" type="checkbox"/>

Current Risk Rating (before controls are in place)			
Low	<input type="checkbox"/>	Medium	<input type="checkbox"/>
		High	<input checked="" type="checkbox"/>

Control Measures Required
<ul style="list-style-type: none"> <li>Complete the task of cleaning floors when the hall is not in use or with the least activities in progress and access is limited.</li> <li>Make sure that spillages are cleaned up as soon as they occur.</li> <li>Use warning signs or cones in the area to alert others to the dangers at hand.</li> <li>Report any, hazards, such as a water leak or poor lighting, as soon as they are noticed.</li> <li>COSHH data sheets for substances used to clean the floors should be stored on-site with authorised access only.</li> <li>Ensure all appropriate persons are trained on the dangers of wet floors, i.e., the cleaners.</li> </ul>

Residual risk factor after measures taken			
Low	<input checked="" type="checkbox"/>	Medium	<input type="checkbox"/>
		High	<input type="checkbox"/>

Risk Assessment Owned / Managed by:	
Name	
Job Title	
Date	
Review date	