


Risk Assessment

Racking and Shelving

Business Name:		Risk Assessor:		Image:
Minchinhampton Market House	Name	Neil James		
	Job Title	Consultant – Envesca Ltd		
	Date	11 th October 2022		
	Signed			

Location of Hazard / Area / Process / Equipment:	All areas
---	-----------

Activities:	How Harm Could Occur:	People Who Could be Harmed:	
Racking/Shelving/Stacking	<ul style="list-style-type: none"> Musculoskeletal Disorders due to poor Manual handling Cuts, Lacerations and finger trapping Bruising Sprains and Strains 	Employees	<input checked="" type="checkbox"/>
		Public / Customers	<input checked="" type="checkbox"/>
		Contractors	<input checked="" type="checkbox"/>

Current Risk Rating (before controls are in place)			
Low	<input type="checkbox"/>	Medium	<input checked="" type="checkbox"/>
		High	<input type="checkbox"/>

Control Measures Required
<ul style="list-style-type: none"> Suitable and sufficient lighting in all areas Shelving checks carried out and maximum load adhered to Do not over stack items Ensure that shelving is safe and secure. Ensure that heavy loads are stacked below lighter loads. Ensure that staff are trained in how to store goods safely using safe stacking methods.

Residual risk factor after measures taken			
Low	<input checked="" type="checkbox"/>	Medium	<input type="checkbox"/>
		High	<input type="checkbox"/>

Risk Assessment Owned / Managed by:	
Name	
Job Title	
Date	
Review date	